

# 700 Series **CENTRIFUGAL SIFTER**




## **FEATURES**

- Stainless Steel Body
- Ultra high throughput
- Self-cleaning screens
- Three-bearing shaft support
- Adjustable 4-paddle rotor
- Quick in-place screen inspection
- Easier screen change and tensioning
- No vibration, dust or noise
- Optional patented Rota-Trap<sup>®</sup>
- Outboard discharge end bearing
- V-Belt drive
- Tool-less removal of rotor


## ADDITIONAL FEATURES

- "Quick-Take-Apart" Design
- Removable light-weight rotor assembly
- Fully welded one-piece body
- More screen area than competitive size units



pneumatic transfer

Sifting from bulk receiver prior to




agglomerates and other free-flowing materials.

plastic, string), sifting, scalping and classifying.

flake or agglomerate due to fat or moisture content.


Inline sifting



Sifting after

blending

prior to packing



Sifting minor ingredients prior to blending

### **APPLICATIONS**

- Flour
- Sugar
- Bakery Mixes
- Chemicals
- Spices

### **INDUSTRIES**


Designed to meet high-capacity scalping and sifting for both large and small process applications, the Prater Rota-Sieve® proves its cost efficiency daily in the handling of a wide variety of powder, granules,


The combination of high-centrifugal force and blade spreading action reduces binding problems, even when handling materials that tend to

Prater Rota-Sieves are ideal for removing foreign material (i.e. insects,

- Food
- Chemical
- Mineral
- Powder Coatings
- Pharmaceutical

praterindustries.com





	EFFECTIVE		MOTOR	DIMENSIONS IN INCHES*							
MODEL	SCREEN AREA	HP	RPM	Α	В	С	D	Е	F	G	н
700	725 sq. in.	3	1800	59-9/16	15-1/16	9-11/16	18-15/16	55-1/2	37-19/32	25-1/16	20

\* Do not use for engineering purposes. Please request a certified drawing for all layout or construction uses.



2 Sammons Court, Bolingbrook, IL 60440 1-877-247-5625 • praterindustries.com